

OPERATION AND MAINTENANCE MANUAL

Internal Curtains & Tracks



Sayre By Mosaic
30 Gallway Street Windsor QLD

MOSAIC PROPERTY GROUP
89 MCLACHLAN STREET
FORTIUDE VALLEY QLD 4006, AUSTRALIA.

PREPARED BY

TURNER BROS ARCHITECTURAL PTY LTD
7/2 Hawker Street, Currumbin Waters, QLD 4223
PH +61 7 5534 9825

Jason Turner jason@turnerarc.com.au

COMPANY INFORMATION

COMPANY DETAILS

TURNER ARC SHADING SYSTEMS

7/2 Hawker Street
Currumbin Waters, QLD 4223
PH +61 7 5534 9825
Email: admin@turnerarc.com.au
JASON TURNER
Director
Mobile: 0417 448 007
Email: jason@turnerarc.com.au

GENERAL DESCRIPTION

The intent of this manual is to provide information for the operation and maintenance of the nominated products onsite. The manual provides requirements and recommendations and must be followed to ensure an effective and trouble-free operation with the provided products.

Turner Arc supplied, delivered and installed the manual hand traverse sheer curtains to all room.

Curtains & Tracks

The manual hand traverse curtains are operated manually by hand.

The sheers are designed to reduce glare while maintaining optimal light and views..

Scope of work and specification

Areas: Supply & Installation Curtains & Tracking to unit 701 and the common area on Level 7.

Unit 701: Living D08 and D10, Bed 1 D11and Bed 3 D7
Level 7 common area 1 curtain

Product: Ceiling Fixed Series 51 for Sheer Curtains.

Specification

Fabric Colour: Fabric: Nettex Cannes co. Ash Heading: S/Fold @ 2:1

Operation: Manual

Warnings and Precautions

CAUTIONS

Always ensure the curtains are free from obstructions before operating.

WARNING

Changes or modifications not expressly approved by Turner Bros Architectural Pty Ltd responsible for compliance could void the user's authority to operate the equipment.

Should the notes and information given in this manual be disregarded, or if the product is misused or used for the wrong purpose, the manufacturer declines the guarantee for damage product. In these cases the liability for consequential damage to any parts or persons is ruled out as well.

OPERATION AND MAINTENANCE PROCEDURE

Fault Finding Guide

Before requesting for service it is necessary to check:

- Any visible damage to the product.
- Check products regularly for signs of wear.

In case of possible malfunctions, please consult sales and service at Turner Arc Shading on 07 5534 9825

Avoid carrying out any repairs yourself, as warranty will be void in the case of incorrect operation and improper use.

Care Instructions

Drapery Sheer:

- Do not bleach
- Do not tumble dry
- Drip dry in shade
- Dry-cleaning Gentle cycle
- Low iron max 110c
- Machine wash cool gentle cycle

Drapery Blockout:

- Do not bleach
- Do not dry-clean
- Do not tumble dry
- Dry flat
- Low iron max 110c
- Hand wash only

Procedure:

- We recommend that all products to be cleaned every 12 months.
- Do not use solvents, alcohol (rubbing alcohol) or scouring cleansing agents.

Maintenance

The blind system is generally maintenance free apart from occasional cleaning required. However, a visual inspection should be conducted every six months. If damages are found please contact Turner Arc Shading Systems on 07 5534 9825.

WARRANTIES

Turner Arc passes on the manufacturer's warranty of 12 months for the installed systems, including hardware and a warranty of twelve (12) months on installation.

Supplier and manufacturer warranty certificates are attached with this manual.

